

Fehlerprotokoll (Error Log)

Einleitung

Im System kann es zu diversen Fehlern kommen. Diese werden im Fehlerprotokoll mitgeschrieben und können hier als gelesen markiert werden.

Sind wir als Administrator oder mit der Rolle Systemmanager angemeldet bekommen wir in Echtzeit einen Hinweis zu auftretenden Fehlern. Diese sind in der rechten unteren Ecke der Benutzeroberfläche zusehen.

The screenshot shows the Frappe Error Log interface. At the top, there's a breadcrumb trail: "Error Log > 4ca038c059". A search bar is on the right with the placeholder "Search or type a command (Ctrl + G)". Below the breadcrumb, the error entry is titled "4ca038c059" and marked as "Seen". On the left sidebar, there are sections for "Assigned To", "Attachments" (with an "Attach File" button), "Shared With", and "Tags". The main content area displays the error details:

Title
frappe.integrations.doctype.webhook.webhook.enqueue_webhook

Error

```
Traceback (most recent call last):
  File "apps/frappe/frappe/utils/background_jobs.py", line 147, in execute_job
    retval = method(**kwargs)
  File "apps/frappe/frappe/integrations/doctype/webhook/webhook.py", line 110, in enqueue_webhook
    raise e
  File "apps/frappe/frappe/integrations/doctype/webhook/webhook.py", line 99, in enqueue_webhook
    r.raise_for_status()
  File "env/lib/python3.9/site-packages/requests/models.py", line 943, in raise_for_status
    raise HTTPError(http_error_msg, response=self)
requests.exceptions.HTTPError: 500 Server Error: Internal Server Error for url: https://bit.de/api/checklist/webhook
```

At the bottom left, there are icons for likes, comments, and a "FOLLOW" button.

Tipp: Das Fehlerprotokoll kann man sich per E-Mail für jeden Eintrag einzeln über eine Mitteilung oder aber vollständig als Bericht in einem gewünschten Turnus senden lassen.

Felder

Bezeichnung	Feldname	Erklärung
-------------	----------	-----------

	seen	<p>Diese Feld wird im oberen Teil des DocTypes wie ein Status angezeigt. Im Standard sind diese</p> <ul style="list-style-type: none"> • ungelesen • gelesen
Bezeichnung	method	Ein Datenfeld welches zur Anzeige des Fehlertitels verwendet wird.
Fehler	error	Ist ein Code-Feld in welchem uns der komplette Fehler angezeigt wird.

Version #1

Erstellt: 22 April 2023 21:02:42 von Wolfram Schmidt

Zuletzt aktualisiert: 22 April 2023 21:09:52 von Wolfram Schmidt